

Heat at Work.

Hot air & Hot gluing



 steinel

Made for doers.

Appreciated for their long service life, ease of use and excellent performance and built for daily use - these are tools from STEINEL. They inspire professional craftsmen, DIY enthusiasts and anyone who wants to work at the "next level" all over the world.

4 series - Which one suits you?

Proven technology for DIY enthusiasts and do-it-yourselfers.

The right choice for the ambitious DIY enthusiast.


For professional tradespeople who work quickly and flexibly.

In continuous daily use by heavy users.


STEINEL - Heat at Work. The original.	4
The inventors' company.	6
Battery technologies	8

Hot air


Series 1 18

- MobileHeat 1 
- HeatMatic 1620 S
- HeatMatic Stick


Series 3 26

- MobileHeat 3 
- HeatMatic 1920 E
- HeatMatic 2020 E
- HeatMatic 2220 E

Series 5 36

- MobileHeat 5 
- HeatMatic 2120 E
- HeatMatic 2320 E
- HeatMatic 2600 E

Series 7 48

- MobileHeat 7 
- HeatMatic 2620 E



Accessories 54

Hot gluing

Low-temperature 64

- GlueMatic 1007-LT



Series 1 68

- MobileGlue 1007-S 
- MobileGlue 1007 
- GlueMatic 1007
- GlueMatic 1011

Series 3 78

- MobileGlue 3011 
- GlueMatic 3011

Series 5 84

- MobileGlue 5011 AMP 
- MobileGlue 5011 CAS 
- GlueMatic 5011

Series 7 92

- GlueMatic 7011

Accessories 96

Guarantee 102



Heat at Work. The original.

Whether at work or for hobby and leisure - every appliance incorporates our decades of expertise, manufactured in our own factories.

**The best connections
for for over 30 years.**



Own plants in Europe

1.3 million


thermo-Tools sold per year.



We are
Technology Leader
in the Thermo-Tools-
sector and hold over
100 patents
steinel-tools.de



We offer you a service for
repairs and spare parts.



Today, 95% of our products
are already packaged plastic-
free - and the trend is rising.



Green electricity and our own
solar power generation support
our sustainable production.



Eco mode for up to 68% energy
savings with the HM 2320 ECO.

Original. Made by STEINEL.

The inventors' company.

Our handy all-rounders impress with their first-class quality, simple operation and excellent performance. No wonder, as all heat guns and glue guns are based on our decades of expertise. And a lot of love for perfection. STEINEL thermo tools: Built for daily use. Appreciated for their long service life. Made for doers: professional craftsmen, DIY enthusiasts and anyone who wants to make our world a little bit better.

Guarantee

Up to 3 years manufacturer's guarantee.

STEINEL products are made of high-quality, durable materials and can be used for many years. We are convinced of this and we guarantee it.



Research, development and production.

every day, more than 1700 employees research, develop and manufacture products in the best STEINEL quality that sustainably improve people's lives.



German engineering.

We develop our products at locations in Germany.


The world speaks battery.

Machines, battery packs and chargers from a wide range of manufacturers can now be easily combined with each other - whether built-in Li-ION batteries or exchangeable batteries from 18V alliances such as Power-For-All (PFA) or AMPShare from BOSCH and CAS from Metabo. This not only saves on batteries and chargers, but also money and time, while protecting the environment and offering particularly powerful and durable tools.

The advantages of battery alliances:



Focus on users



100% compatibility



Saves money and conserves resources



Numerous areas of application



POWER FOR ALL: THE battery for your home.

The battery alliance for DIY enthusiasts. 1 battery.
Over 10 brands. More than 100 devices. We are united
by the common goal of improving people's quality of life.
Our vision is a single battery for your entire home -
for maximum flexibility and convenience.



powered by



Compatible devices:



Cordless heat gun
MobileHeat 1

Cordless glue gun
MobileGlue 3011



Further information
powerforall-alliance.com



AMPSHare: Many brands. Many machines. One battery system.

AMPSHare is the cross-brand battery system for professionals in trade and industry. With just one shared battery system, you can switch flexibly between professional tools and brands - without having to think about it for long. With over 80 million batteries sold and a rapidly growing community, AMPSHare is the 18V battery system, you can rely on.



powered by



Compatible devices:



Cordless glue gun
MobileGlue 5011 AMP

Cordless heat gun
MobileHeat 7



Further information
ampshare.com



CAS system: One battery for over 40 brands.

CAS batteries are compatible with over 40 brands. Simply combine your batteries and chargers with the more than 400 CAS brand machines. This saves you time and money and also protects the environment. 100 % compatibility in the 18 V class!



powered by
metabo

Compatible devices:



Cordless heat guns
MobileHeat 3/5



Cordless glue gun
MobileGlue 5011 CAS



Further information
cordless-alliance-system.com

Everything else is hot air.

Hot air from STEINEL.

Modern, ergonomic and with superior technology - this is the new generation of heat guns from STEINEL. As a pioneer and market leader in this technology, STEINEL is once again setting new standards with the generation now available.



Series 1

For craft fans and DIY enthusiasts.

Our DIY appliances inspire craft fans worldwide - now with a new look! From flexible cordless hot air tools for spontaneous projects to versatile corded all-rounders, we have the right tool for every creative idea.



MobileHeat 1
Page 20

Mains connection	BOSCH PFA 18V cordless battery
Performance	500 W
Air volume	120l/min.
Heating up time	14 sec to 300°C
Temperature	300/450°C



HeatMatic 1620 S
Page 22



HeatMatic Stick
Page 24

Mains connection	2.2m cable	2.2m cable
Performance	160 W	350 W
Air volume	240/450l/min.	100l/min.
Temperature	300/500°C	400-500°C



Light the barbecue



Remove stickers



Moulding plastic



Paint off colour



Shrink cable



Drying plaster



Soldering electrical components



Deform models

MobileHeat 1

Mobile. Flexible. Compact.

Our cordless MH1 is the perfect solution for everyday use. With 2 temperature settings up to 450°C, it offers plenty of scope for flexible working.






Including 2 nozzles

Order details

- MobileHeat 1 (without battery & charger)4007841 088064
- MobileHeat 1 paper case set (incl. 4.0Ah battery & charger)4007841 088071



- Cordless heat gun ideal for flexible and cordless work wherever heat is needed
- Perfect for removing stickers and labels, repairs or shrinking electrical cables, loosening and repairing
- Up to 300°C in <14 seconds
- 2 temperature levels 300°C / 450°C
- Air volume 120l/min
- Lightweight and ergonomic
- Compatible with 18V BOSCH POWER FOR ALL battery alliance
- Compatible with plug-in nozzles

500 W	 300 / 450°C	 120 l/min	
Performance	2 temperature levels	Air volume	Details on the web

HeatMatic 1620 S

Powerful. Versatile. Lightweight.

Your reliable partner for a wide range of applications. Compact and powerful, it offers fast solutions for a wide range of tasks.



- Ideal for removing stickers and labels, repairs, shrinking electrical cables, loosening or repairing even hot-melt adhesives
- 1600 W for powerful applications
- 2 temperature levels 300°C / 500°C
- Air volume adjustable to 240 or 450l/min for optimum control
- 2.2m mains cable for more flexibility
- Compatible with plug-in nozzles

Order details

HeatMatic 1620 S4007841 089382

1600 W

300 / 500°C

240 / 450 l/min



Performance

2 temperature levels

2 air volume levels

Details on the web

HeatMatic Stick

Handy. Precise. Lightweight.

Ideal for modelling and a wide range of applications that require precision and pinpoint heat. The HM stick is handy, easy to grip and light for working completely freehand.






- Compact hot air stick for hobbyists and modellers
- Ideal for shrinking work on electrical cables, working on plastic parts from 3D printing machines according to, loosening solder joints
- 350 W with 2.2 m mains cable for flexible handling
- Temperature between 400°C and 500°C
- Air volume 100 l/min
- Integrated LED light for optimum illumination of the work area
- Safe standing surface for hands-free working



Including 4 nozzles

Order details

HeatMatic Stick 4007841 089467

350 W	 400 / 500°C	 100 l/min	
Performance	2 temperature levels	2 air volume levels	Details on the web

Series 3

For ambitious DIY enthusiasts.

This will delight ambitious DIY enthusiasts:
The new Series 3 hot air appliances with innovative
technology make work even more efficient and easier.



MobileHeat 3
Page 28



HeatMatic 1920 E
Page 30

Mains connection	Metabo CAS 18V battery	2.0 m cable
Performance	600 W	2000 W
Air volume	200l/min.	150-500l/min.
Heating up time	<5 sec to 300°C	-
Temperature	300/500 °C	80-600°C



HeatMatic 2020 E
Page 32



HeatMatic 2220 E
Page 34

Mains connection	2.2 m cable	3 m cable
Performance	2200 W	2200 W
Air volume	150-500l/min.	150-500l/min.
Temperature	80-630 °C	80-630 °C



Paint off colour



Moulding plastic



Linen around edge



Light the barbecue



Shrink cable



Drying plaster



Remove stickers



Welding tarpaulin

MobileHeat 3

Mobile. Fast. Powerful.
From 0 to 300 in 5 seconds. The MH3 is perfect for carrying out professional repairs in just a few seconds with full flexibility.



works with






powered by metabo



- Cordless hot air gun perfect for repairs in hard-to-reach places
- Ready to start in < 5 seconds thanks to the temperature boost
- 2 temperature levels 300°C / 500°C
- Air volume 200 l/min for full force directly on the material
- Powerful 18V battery from the CAS Alliance
- Secure working thanks to the Security Lock button
- Integrated LED light for optimum illumination of the work area
- Compatible with plug-in nozzles

Order details

MobileHeat 3 (without battery & charger)	4007841 063986
MobileHeat 3 case set (incl. 8.0 Ah battery & charger)	4007841 066604
MobileHeat 3 case set (incl. 5.5 Ah battery & charger)	4007841 068226

600 W	 300 / 500°C	 200 l/min	
Performance	2 temperature levels	Air volume	Details on the web

HeatMatic 1920 E

Handy. Versatile. Powerful.




For DIY enthusiasts and professionals alike. Our all-rounder HM 1920 E with 2000 W is durable and can be perfectly controlled from 80 - 600°C with 3 air volume levels from 150 to 500 l/min.



- Ideal for shrinking electrical cables, wrapping work, stripping paint and varnish
- 2000 W for powerful applications
- 9 temperature levels adjustable from 80-600°C
- 3 air volume levels from 150-500l/min for a wide range of materials
- High-quality ceramic heater
- 2.2 metre power cable for flexible handling
- Compatible with plug-in nozzles

Order details

HeatMatic 1920 E 4007841 089764

2000 W	 80 - 600°C	 150- 500 l/min	
Performance	9 temperature levels	3 air volume levels	Details on the web

HeatMatic 2020 E

Powerful. Precise. Digital.




The HM 2020 E is electronically controlled and perfect for ambitious projects and can be regulated from 80 to 630°C with 2000 W via the display.



- Ideal for shrinking electrical cables, welding plastics, foiling work and desoldering electrical components
- 2200 W with display
- Temperature continuously adjustable from 80-630°C in 10°C increments
- 3 air volume levels from 150-500l/min for a wide range of materials
- High-quality ceramic heater
- 2.2m mains cable for flexible handling
- Residual heat indicator for additional safety
- Compatible with plug-in nozzles


Order details

HeatMatic 2020 E (without accessories).....4007841 089559
HeatMatic 2020 E case set (incl. 9 mm reduction nozzle).....4007841 089566

2200 W	 80 - 630°C	 150-500 l/min	
Performance	Digitally infinitely adjustable temperature	3 air volume levels	Details on the web




HeatMatic 2220 E

Handy. Lightweight. Temperature accurate.
Versatile and powerful: The HM 2220 E heat guns offers 9 temperature levels from 80-630°C, air volume regulation and an integrated fine dust filter.



- Ideal for loosening glued carpets, foiling work, drying processes or welding work on thermoplastic roofing membranes
- 2200 W with display
- 9 temperature levels adjustable from 80-630°C
- 3 air volume levels from 150-500l/min for a wide range of materials
- High-quality ceramic heater
- 3m mains cable for flexible handling
- Integrated fine dust filter and residual heat indicator
- Compatible with plug-in nozzles

Order details
HeatMatic 2220 E 4007841 089474

2200 W	 80 - 630°C	 150- 500 l/min	
Performance	9 temperature levels	3 air volume levels	Details on the web

Series 5

For professional craftsmen.

For professionals, fast heat-up times, a powerful air volume, precise temperature settings and full power are what count when working with hot air. The reliable energy source: the powerful 18 V Metabo batteries from the CAS system.



MobileHeat 5
Page 38



HeatMatic 2120 E
Page 40

Mains connection	Metabo CAS 18V battery	1.5 m cable
Performance	900 W	2200 W
Air volume	300l/min.	150-500l/min.
Heating up time	<4 sec. to 300°C	-
Temperature	50-500 °C	80-630°C



HeatMatic 2320 E
Page 42



HeatMatic 2600 E
Page 44

Mains connection	3 m cable	2.0 m cable
Performance	2300 W	2300 W
Air volume	150-500l/min.	230-510l/min.
Temperature	80-650°C	50-620 °C



Shrink cable



Crimp cable



Car wrapping



Smoothing leather



Cover roof



Welding linoleum



Welding plastic



Repair tarpaulin

MobileHeat 5

Mobile. Fast. Digital.

The biggest advantage of this device is already in the name: it is mobile. Small to medium-sized repairs can be carried out anywhere without the need for electricity.



works with






powered by metabo



- Cordless heat gun perfect for repairs in hard-to-reach places
- Ready to go in 4 seconds thanks to the Temperature Boost
- Temperatures adjustable between 50°C and 500°C
- 6 air volume levels up to 300l/min for every application
- Powerful 18V battery from the CAS Alliance
- Secure working thanks to the Security Lock button
- Integrated LED light for optimum illumination of the work area
- Compatible with plug-in nozzles

Order details

MobileHeat 5 (without battery & charger)	4007841 063993
MobileHeat 5 case set (incl. 8.0 Ah battery & charger)	4007841 066611
MobileHeat 5 case set (incl. 5.5 Ah battery & charger)	4007841 068233

900 W	 50 - 500°C	 300 l/min	
Performance	Digitally infinitely variable temperature	6 air volume levels	Details on the web

HeatMatic 2120 E

Powerful. Precise. Professional.

The electronically controlled HM 2120 E with its powerful 2200 W is a reliable all-rounder for professionals. Precisely adjustable with just one hand from 80-630°C and an air volume of up to 500 l/min.






Order details

HeatMatic 2120 E	4007841 089603
HeatMatic 2120 E Carwrapper set (incl. HL Scan, 7.5m cable)	4007841 089658
HeatMatic 2120 E Carwrapper Edition (with 7.5m cable)	4007841 089641
HeatMatic 2120 E case set (incl. reflector nozzle, window nozzle 50mm, reduction nozzle 9mm, shrink tubing)	4007841 089610



- Ideal for advertising technicians, shrinking work or moulding and welding plastics
- 9 temperature levels adjustable from 80-650°C
- Air volume adjustable in 3 stages from 150-500l/min.
- High-quality ceramic heater
- 2.2 metre power cable for flexible handling
- Compatible with plug-in nozzles

2200 W	 80 - 630°C	 150- 500 l/min	
Performance	9 temperature levels	3 air volume levels	Details on the web

HeatMatic 2320 E

Energy-saving. Digital. Professional.

Sits perfectly in the hand and is great fun to use:
The HM 2320 E has a powerful 2300 W and produces
hot air between 80 - 650 °C. The temperature is easily
controlled using the joystick and is absolutely precise.






Order details

HeatMatic 2320 E	4007841 089665
HeatMatic 2320 E ESD version	4007841 091347
HeatMatic 2320 E case set (incl. Reflector nozzle, window nozzle 50 mm, Reducing nozzle 9 mm, shrink tubing).....	4007841 089672
HeatMatic 2320 E Car repair kit	4007841 091743



- Ideal for shrinking electrical cable lines, welding plastics, shrinking processes in industry
- 2300 W with LCD info display
- Temperature digitally infinitely adjustable from 80-650°C in 10°C increments
- Air volume adjustable in 10 stages to 150-500l/min
- High-quality ceramic heater
- 3m mains cable for flexible handling
- 3 storable programmes
- Eco mode as a timer function from 10-1990 seconds for automatic switch-off
- Compatible with plug-in nozzles

2300 W	 80 - 650°C	 150- 500 l/min	
Performance	Digitally infinitely variable Temperature	3 air volume levels	Details on the web

For advertising and foiling technicians



Application-video

Car wrapping set HM 2120 E with HL Scan & extra long 7.5m power cable

Hot air and temperature detection with one hand:


- Visual and acoustic Temperature display and warning
- Temperature detection range 0 - 300 °C
- Attachable to the HM 2120 E
- 7.5 m cable for more freedom of movement



+



+



EAN HM 2120 Car Wrapper Set in case	
with 7.5 m cable and HL Scan	4007841 089658
EAN HM 2120 E Car Wrapper Edition with 7.5 m cable	4007841 089641
EAN HL Scan	4007841 014919

The best way to repair impact catchers.

Car repair kit HM 2320 E.

For the professional repair of typical plastic damage.

- Extremely durable and TÜV tested
- Hot air gun HM 2320 E, wire mesh, Multi-Thermoflexx welding wire, reducing nozzle 9 mm, welding shoe and temperature protection disc



+



5 x



10 x

+




EAN HM 2320 E Car repair set	4007841 091743
------------------------------	----------------



HeatMatic 2600 E

Powerful. Versatile. Professional.




The HM 2600 E is the perfect choice for anyone who needs high performance and protection at the same time. Flexible temperature control and high air volume enable efficient solutions for a wide range of tasks.



- Ideal for welding thermoplastic roofing and bitumen membranes, welding linoleum floors, loosening glued carpets
- 9 temperature levels adjustable from 50°C - 620°C via rotary wheel
- Durable ceramic heater
- Integrated fine dust filter and residual heat indicator
- Double protective tube to protect the material
- Lightweight and compact
- 3m long mains cable for flexible handling
- Compatible with screw-on nozzles

Order details

HeatMatic 2600 E 4007841 089818
HeatMatic 2600 E case set..... 4007841 089825

2300 W	 50 - 620°C	 230- 510 l/min	
Performance	9 temperature levels	Air volume	Details on the web

Series 7

For heavy users.

In continuous daily use, a temperature setting that is accurate to the degree is essential for various materials and applications. Our professional hot air tools fulfil precisely these requirements. With high performance and precise temperature control, you achieve optimum results - perfect for the toughest indoor and outdoor requirements.



MobileHeat 7
Page 50

Mains connection	BOSCH AMPShare 18V cordless battery
Performance	1000 W
Air volume	200l/min.
Heating up time	<4 sec. to 350°C
Temperature	150-550 °C



HeatMatic 2620 E
Page 52

Mains connection	3m cable
Performance	2300 W
Air volume	150-500l/min.
Temperature	50-700 °C



Cover roof



Welding linoleum



Smoothing leather



Repair tarpaulin

MobileHeat 7

Mobile. Powerful. Temperature-safe.
Fast and flexible working with heat. That's why we developed our first cordless hot air tool. The perfect solution for finishing work in the trade.






works with
AMPShare
Powered by **BOSCH**



- Ideal for professionals for wireless reworking on the roof as well as for electrical installations and repairs
- Ready to go in 4 seconds thanks to the Temperature Boost
- 9 temperature levels adjustable from 150-550°C
- Air volume 200 l/min
- Status LED for temperature for optimum battery utilisation
- One-handed operation and ergonomically designed for continuous use
- Compatible with 18V BOSCH AMPShare battery system
- Compatible with screw-on nozzles

Order details

MobileHeat 7 (without battery & charger) 4007841 085926
MobileHeat 7 case set (incl. 8.0 Ah battery & charger) 4007841 085933

1000 W	 150 - 550°C	 200 l/min	
Performance	9 temperature levels	Air volume	Details on the web

HeatMatic 2620 E




Powerful. Precise. Professional.
Professional blower down to the smallest detail.
Ideal for industry and trade. thanks to our powerful,
brushless motor (10,000h service life).



- Ideal for welding thermoplastic roofing and bitumen membranes, welding linoleum floors, industrial application for shrinking processes
- Powerful, brushless motor for a service life of 10,000 hours
- Temperature digitally infinitely adjustable from 50-700°C in 10°C increments with display control
- Air volume adjustable from 150-500l/min
- High-quality ceramic heater
- 3m mains cable for flexible handling
- Simple heating and mains cable replacement
- Suitable for construction sites
- 4 Memory programmes for recurring work
- Compatible with screw-on nozzles

Order details

HeatMatic 2620 E	4007841 089504
HeatMatic 2620 E case	4007841 089511
HeatMatic 2620 E tarpaulin set (incl. pressure roller and angled flat nozzle).....	4007841 089542
HeatMatic 2620 E without restart protection	4007841 091255

2300 W	 50 - 700°C	 150- 500 l/min	
Performance	Digitally infinitely variable Temperature	Stepless Air volume	Details on the web

Plug-in nozzles for all spray guns:

Loosening paintwork and screws and moulding



Surface nozzle **50 mm**
EAN 4007841 070311



Window nozzle **50 mm**
EAN 4007841 070113

Surface nozzle **75 mm**
EAN 4007841 070410

Window nozzle **75 mm**
EAN 4007841 070212



Colour scraper set
EAN 4007841 010317



Shrinking of cables, connections and moulded parts



Crimp connectors
Ø 0.25 - 0.5 mm (10 pcs.)
EAN 4007841 089023
Ø 0.5 - 1.5 mm (10 pcs.)
EAN 4007841 006655
Ø 1.5 - 2.5 mm (10 pcs.)
EAN 4007841 006648
Ø 4.0 - 6.0 mm (10 pcs.)
EAN 4007841 089030



Shrink tubing
I Ø 1.6 - 4.8 mm
EAN 4007841 071318
II Ø 4.8 - 9.5 mm
EAN 4007841 071417
III Ø 4.0 - 12.0 mm
EAN 4007841 072766

Set Ø 3.2 - 9.5 mm for electrical installations
EAN 4007841 035303



Reflector nozzle
EAN 4007841 070519



Plug-in nozzles for HM 1920, 2020, 2120, 2220, 2320 E, MobileHeat 3 and 5:

Desoldering and spot heating



Reducing nozzle **6 mm**
EAN 4007841 009571

Reducing nozzle **9 mm**
EAN 4007841 070618

Reducing nozzle **14 mm**
EAN 4007841 070717



Soldering reflector nozzle **10 mm**
EAN 4007841 074616



Welding of plastics, tarpaulins and foils



Welding nozzle
Attachable to
Reducing nozzle 9 mm
EAN 4007841 070915



Wide slit nozzle
Attachable to
Reducing nozzle 14 mm
EAN 4007841 074715



Plastic welding rods

HDPE
EAN 4007841 071219

PVC
EAN 4007841 073114

PP
EAN 4007841 073411

ABS
EAN 4007841 074210

Multi-Thermoflexx
EAN 4007841 076467



Flat angled nozzle
40x2mm
EAN 4007841 087715



Silicone pressure roller
Ø 35 x 28mm
EAN 4007841 084967
Ø 35 x 40mm
EAN 4007841 006785



Pressure roller
Ø 40 x 45mm
EAN 4007841 012311

Other accessories



Professional adapter nozzle
EAN 4007841 068035
The adapter nozzle enables the use of all STEINEL professional nozzles for all heat guns with a standard outlet pipe.



12-piece hot air accessory set
incl. wide jet nozzle 75 mm, jet nozzle 75 mm, reducing nozzle 14 mm, reducing nozzle 9 mm, wide slot nozzle, welding shoe, reflector nozzle 24 mm, scraper and scraper handle with 3 blades
EAN 4007841 075569

Shrink-wrapping of cables, connections and moulded parts



Solder reflector nozzle
EAN 4007841 011871



Reflector nozzle 20 mm
EAN 4007841 011857



Sieve reflector nozzle
50 x 35 mm
EAN 4007841 010409

Screw-on nozzles for
HM 2600 E, 2620 E and
MobileHeat 7

Welding of floors
or spot heating



Plastic welding rods
HDPE
EAN4007841 071219
PVC
EAN4007841 073114
PP
EAN4007841 073411
ABS
EAN4007841 074210
Multi-Thermoflexx
EAN 4007841 076467



Fast welding nozzle
Attachable to
Round nozzle 5 mm
3 mm narrow
EAN 4007841 009106
4 mm narrow
EAN 4007841 011765
5 mm narrow
EAN 4007841 011840
5 mm
EAN 4007841 010287
Attachable to
Round nozzle 10 mm
5 mm
EAN 4007841 075316



Round nozzle **5 mm**
EAN 4007841 092214
Round nozzle **10 mm**
EAN 4007841 092313
Round nozzle
extended 5 mm
EAN 4007841 009076



Welding of roofing membranes, -Foils and tarpaulins



Flat angled nozzle
20 x 2 mm
EAN 4007841 092115
20 x 2 mm, 100°
EAN 4007841 007812
40 x 2 mm
EAN 4007841 092016
40 x 2 mm perforated
EAN 4007841 009083



Flat nozzle
60 x 2 mm bitumen
EAN 4007841 009090



Seam tester
EAN 4007841 034986



Fillet weld feeder
EAN 4007841 011833



Tarpaulin shears
EAN 4007841 010423



Teflon pressure roller
Ø 33 x 40mm
EAN 4007841 034122



Rubber pressure roller
Ø 40 x 50mm
EAN 4007841 093211



Brass pressure roller
Ø 30 x 7mm
EAN 4007841 085377



Silicone pressure roller
Ø 35 x 28mm
EAN 4007841 084967
Ø 35 x 40mm
EAN 4007841 006785



Accessories for car wrappers and film technicians



Flexible hot
air tool stand
with vacuum foot
EAN 4007841 009601



Temperature scanner
**for HM 1920, 2020,
2120, 2320 E**
EAN 4007841 014919



Guard Cage
**for HM/HL/HG 1820 S,
1920, 2020, 2120, 2320 E**
EAN 4007841 053963



Alcantara squeegee
2 pcs.
EAN 4007841 084189




Accessories for car mechanics and coachbuilders



Reducing nozzle 9mm,
closed
EAN 4007841 070601



Welding shoe 5mm
EAN 4007841 076368



Wire mesh 150x115
EAN 4007841 076566



Temperature protection
EAN 4007841 076665



Multi-Thermoflexx
welding rod
EAN 4007841 076467

Accessories for electricians



Stripper Multi 1000
EAN 4007841 087333



Cable shears Multi 1000
EAN 4007841 087326



Shrink tubing
I Ø 1.6 - 4.8 mm
EAN 4007841 071318
II Ø 4.8 - 9.5 mm
EAN 4007841 071417
III Ø 4.0 - 12.0 mm
EAN 4007841 072766

Set Ø 3.2 - 9.5 mm for
electrical installations
EAN 4007841 035303



Reflector nozzle
EAN 4007841 070519



Crimp connectors
Ø 0.25 - 0.5 mm (10 pcs.)
EAN 4007841 089023
Ø 0.5 - 1.5 mm (10 pcs.)
EAN 4007841 006655
Ø 1.5 - 2.5 mm (10 pcs.)
EAN 4007841 006648
Ø 4.0 - 6.0 mm (10 pcs.)
EAN 4007841 089030

Special accessories



Guard cage
**for HM/HL/HG 1820 S,
1920, 2020, 2120, 2320 E**
EAN 4007841 053963



Fine dust filter
**for HM/HL/HG
1820 S, 1920, 2020,
2120, 2320 E**
EAN 4007841 078218



Heating element
**for HM/HG
2620, 2600 E**
EAN 4007841 009212



Temperature scanner
**for HM 1920, 2020,
2120, 2320 E**
EAN 4007841 014919



HL Tool Stand
**for all devices,
variably adjustable**
EAN 4007841 034566



Case (empty)
for all pistol devices
EAN 4007841 008963
for all bar devices
EAN 4007841 009168
**Large - for all
rod devices**
EAN 4007841 052560

Batteries and chargers



CAS batteries
5.5 Ah
EAN 4007841 068257
8.0 Ah
EAN 4007841 068240



CAS chargers
ASC 145 EU 18 V
EAN 4007841 068349
ASC 55 EU 18 V
EAN 4007841 065584



AMPShare battery
ProCORE
8.0 Ah
EAN 4007841 088088



AMPShare charger GAL
18V-40
18V
EAN 4007841 088743



PFA battery
4.0 Ah
EAN 4007841 089450



PFA charger
AL 1820 CV
EAN 4007841 088385

**Simply hotter.
Simply more effective.**

Hot bonding with STEINEL.


Whether with or without a cable - when it comes to strong connections, our handy and universally applicable glue guns deliver perfect results all round. The high-quality all-rounders for leisure, hobbies and work always ensure maximum hold with any material thanks to application-specific glue sticks.



creative - Glue gun with low temperature

Danger-free handicrafts for young and old.

Creative handicrafts: Children love it! They think of fun, not safety. No problem, that's what we're here for! The STEINEL low-temperature glue gun leaves nothing to burn when doing handicrafts. Neither materials nor children's hands. You think fun, we think safety.



GlueMatic 1007-LT

Precise. Handy. Suitable for children.

Carefree crafting fun for young and old: The new GM 1007-LT is hot, but not too hot for the first time. The entry-level appliance for the whole family produces great gluing results in no time at all at just 85°C.







incl. 6 glue sticks

Order details

GlueMatic 1007-LT	4007841 082161
GlueMatic 1007-LT XXL (incl. 20 glue sticks)	4007841 082192



- Ideal for temperature-sensitive materials, such as polystyrene or foils
- Fast heat-up time of 8 min.
- Delivery rate: 4 g/min.
- Compact and ergonomic
- Integrated, foldable foot for a secure stand
- With practical storage box
- Suitable for Ø 7 mm low temperature glue sticks Low Temp (LT) in various colours

 8 min Heating up time	 4 g/min	 Low Temperature	 Details on the web
-----------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------

Series 1

For craft fans and DIY enthusiasts.

Delights craft fans worldwide. Our tried-and-tested DIY tools in a new look. From the cordless glue gun for quick use to the corded all-round gun, there is something for all creative minds.



MobileGlue 1007-S
Page 70

MobileGlue 1007
Page 72

Mains connection	Li-ion battery	Li-ion battery
Battery life	up to 30 minutes	up to 30 minutes
Glue sticks	Ø 7 mm	Ø 7 mm
Adhesive quantity	3 g/min.	3 g/min.
Heating up time	< 15 sec.	< 15 sec.
Temperature	170 °C	170 °C



GlueMatic 1007
Page 74

GlueMatic 1011
Page 76

Mains connection	1.5 m cable	2.0 m cable
Glue sticks	Ø 7 mm	Ø 11 mm
Adhesive quantity	5 g/min.	13 g/min.
Heating up time	7 min.	8 min.
Temperature	170 °C	200 °C



MobileGlue 1007-S

Mobile. Flexible. In seconds.

Quick to hand and ready to go in just 15 seconds:
The MG 1007-S fits in any drawer and stands for
cordless gluing - anytime, anywhere.



- Ideal for quick, precise handicrafts and decorations
- Lightning-fast heat-up time in < 15 sec.
- Delivery rate: 3 g/min.
- Eco mode and charge level indicator
- Suitable for Ø 7 mm glue sticks in various colours







Also available in Rapture Rose

incl. USB cable and 3 glue sticks

Order details

MobileGlue 1007-S anthracite.....	4007841 084271
MobileGlue 1007-S Rapture Rose.....	4007841 063993

 15 sec	 30 min		
Quick Start	Battery runtime	Precise	Details on the web

MobileGlue 1007

Mobile. Precise. In seconds.

No annoying cables, no long waits: the MG 1007 cordless glue gun is ready to go in 15 seconds, wherever you are. This makes crafting and working fun!







incl. USB cable and 3 glue sticks

Order details

MobileGlue 10074007841 084288



- Ideal for quick, cordless handcraft work, repairs and much more
- Lightning-fast heat-up time in < 15 sec.
- Delivery rate: 3 g/min.
- Handy and ergonomic
- Eco mode and charge level indicator
- Suitable for Ø 7 mm glue sticks in various colours

 15 sec	 30 min		
Quick Start	Battery runtime	Precise	Details on the web

GlueMatic 1007

Versatile. Lightweight. Compact.
Creative and clean work made easy:
The practical GM 1007 glue gun gives
a perfect introduction to the world of hot gluing.







incl. 6 glue sticks

Order details

GlueMatic 1007	4007841 082154
GlueMatic 1007 XXL pack (incl. 20 glue sticks).....	4007841 082185



- Ideal for all handicrafts
- Fast heat-up time of 6 min.
- Delivery rate: 5 g/min.
- Compact and ergonomic
- Integrated, foldable foot for a secure stand
- With practical storage box
- Suitable for Ø 7 mm glue sticks in various colours

 7 min			
Heating up time	5 g/min	Precise	Details on the web

GlueMatic 1011

Handy. Powerful. Practical.

Our GM 1011 is the perfect solution for everyday use. With a delivery rate of 13 g/min. with 11 mm glue sticks, it offers plenty of scope for creative gluing projects.






incl. 2 glue sticks

Order details

GlueMatic 1011 4007841 084318



- Ideal for everyday craft and repair work
- Fast heat-up time of 8 min.
- Delivery rate: 13 g/min.
- Compact and ergonomic
- Integrated, foldable foot for a secure stand
- Practical adhesive sticker viewing window
- Suitable for Ø 11 mm glue sticks in various colours

 8 min		
Heating up time	13 g/min	Details on the web

Series 3

For ambitious DIY enthusiasts.

Ambitious DIY enthusiasts will be delighted. The two new Series 3 glue guns with innovative technology make DIY jobs even easier and quicker.



MobileGlue 3011
Page 80

Mains connection	BOSCH PFA 18V cordless battery
Battery life	up to 100 minutes
Glue sticks	Ø 11 mm
Adhesive quantity	20 g/min.
Heating up time	< 2 min.
Temperature	130 °C/200 °C



GlueMatic 3011
Page 82

Mains connection	2.0 m cable
Glue sticks	Ø 11 mm
Adhesive quantity	16 g/min.
Heating up time	7 min.
Temperature	200 °C



MobileGlue 3011

Mobile. Flexible. Strong.

Cordless and powerful gluing for up to 90 minutes. The MG 3011 with 18V Bosch PFA cordless battery system has 2 temperature levels 130°C/200°C. This is gluing for professionals - mobile, flexible and powerful.



Universal

Fast

Low Melt

Flex

Acrylate

PUR



Compatible with the professional gluing system see p. 96.





incl. 3 glue sticks & long nozzle

Order details

- MobileGlue 3011 (without battery & charger) 4007841 069001
MobileGlue 3011 case set (incl. 2.5Ah battery & charger) 4007841 069018



- Ideal for cordless DIY, repair and professional work
- 100 min. with one battery charge
- Heating time: 2 min.
- High delivery rate 20 g/min.
- Compatible with BOSCH POWER FOR ALL battery system
- 2 temperature levels for even more bonding applications
- Energy-saving eco mode
- Interchangeable fine and long nozzle optionally available
- Ergonomic design for fatigue-free working
- With temperature and charge level display
- Suitable for Ø 11 mm glue sticks with different melting temperatures

 2 min	 100 min		
Quick Start	Battery runtime	130 / 200 °C	Details on the web

GlueMatic 3011

Strong. Fast. Versatile.

Proven STEINEL technology! Our popular hot gluegun GM 3011 is suitable for large and small repair and craft projects. Simply glue, repair and save resources.



- Universal
- Fast
- Flex
- Acrylate



Compatible with the professional gluing system see p. 96.





incl. 3 glue sticks & long nozzle

Order details

GlueMatic 3011	4007841 084509
GlueMatic 3011 in case	4007841 085360



- Ideal for demanding gluing projects, floristry or handicraft activities
- Fast heat-up time of 7 min.
- high delivery rate of 16 g/min.
- Interchangeable fine and long nozzle optionally available
- Lightweight and ergonomic for fatigue-free working
- Integrated, foldable base for a secure stand
- Suitable for Ø 11 mm glue sticks in various colours

 7 min			
Heating up time	16 g/min	Replaceable nozzle	Details on the web

Series 5

For professional craftsmen.

When gluing, professionals need short heat-up times, a high adhesive quantity and temperature settings for different adhesives. The necessary power is provided by the powerful 18 V Metabo batteries from the CAS system.



MobileGlue 5011 AMP
Page 86

MobileGlue 5011 CAS
Page 88

Mains connection	BOSCH AMPShare 18V cordless battery	Metabo CAS 18V battery
Battery life	up to 90 minutes	up to 90 minutes
Glue sticks	Ø 11 mm	Ø 11 mm
Adhesive quantity	20 g/min.	20 g/min.
Heating up time	< 2 min.	< 2 min.
Temperature	130 °C/200 °C	130 °C/200 °C



GlueMatic 5011
Page 90

Mains connection	3m cable
Glue sticks	Ø 11 mm
Adhesive quantity	20 g/min.
Heating up time	< 3 min.
Temperature	130 °C/200 °C



MobileGlue 5011 AMP

Mobile. Fast. Professional.

The MG 5011 with 18V AMPShare battery system has 2 temperature settings 130°C/200°C and an extra high flow rate of 20g/min.



Universal

Fast

Low Melt

Flex

Acrylate

PUR





Compatible with the professional gluing system, see p. 96.

Order details

MobileGlue 5011 AMP (without battery & charger) 4007841 088361
MobileGlue 5011 AMP case set (incl. 2.0Ah battery & charger) 4007841 088378



- Fast heat-up time of 2 min.
- High delivery rate of 20 g/min.
- Compatible with 18V battery from the AMPShare Alliance from BOSCH Professional
- Interchangeable fine and long nozzle optionally available
- 2 temperature levels for even more bonding applications
- Ergonomic design for fatigue-free working
- With temperature and charge level display
- Suitable for Ø 11 mm glue sticks with different melting temperatures

 2 min	 90 min	 130 / 200 °C	 Details on the web
Quick Start	Battery runtime		

MobileGlue 5011 CAS

Mobile. Fast. Professional.

Professional and up to 90 minutes of cordless gluing.
The MG 5011 with 18V CAS battery has two temperature levels 130 / 200 °C and is compatible with the professional gluing system for even more applications.



works with
CAS CORDLESS ALLIANCE SYSTEM
powered by **metabo**

- Universal
- Fast
- Low Melt
- Flex
- Acrylate
- PUR



Compatible with the professional gluing system, see p. 96.





incl. 3 glue sticks & long nozzle

Order details

MobileGlue 5011 CAS (without battery & charger).....4007841 084684
MobileGlue 5011 CAS case set (incl. 2.0Ah battery & charger)4007841 085384



- Ideal for cordless handicraft work, that require a lot of glue quickly
- Fast heat-up time of 2 min.
- High delivery rate of 20 g/min.
- Compatible with 18V battery from the Metabo CAS Alliance
- Interchangeable fine and long nozzle optionally available
- 2 temperature levels for even more bonding applications
- Ergonomic design for fatigue-free working with temperature and charge level indicator
- Suitable for Ø 11 mm glue sticks with different melting temperatures

 2 min	 90 min		
Quick Start	Battery runtime	130 / 200 °C	Details on the web

GlueMatic 5011

Strong. Fast. Professional.

The GM 5011 is ready to use in under 2 minutes and is perfect for glue-intensive applications in the craft sector. With 2 temperature settings 130°C/200°C, it can process different adhesives.



Universal

Fast

Low Melt

Flex

Acrylate

PUR




Compatible with the professional gluing system, see p. 96.

Order details

GlueMatic 5011 4007841 084677



- Ideal for adhesive-intensive applications in the craft sector
- Fast heat-up time of 3 min.
- High delivery rate of 20 g/min.
- Integrated, non-slip base for more safety and integrated LED temperature display
- Interchangeable fine and long nozzle optionally available
- 2 temperature levels for even more bonding applications
- Temperature setting via touch switch
- Suitable for Ø 11 mm glue sticks with different melting temperatures

 Quick Start	 20g/min	 130 / 200 °C
----------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

Series 7

For heavy users.

In continuous daily use, precise adjustment to the exact degree is essential for a variety of adhesives and materials. With the GlueMatic 7011, we have designed the top product in our new series to do just that. In combination with our new PUR adhesive, we achieve maximum strength and high weather resistance - perfect for the toughest indoor and outdoor requirements.



GlueMatic 7011
Page 94

Mains connection	4.0 m cable
Glue sticks	Ø 11 mm
Adhesive quantity	35 g/min.
Heating up time	< 2 min.
Temperature	40 - 230 °C
Settings	LCD display



GlueMatic 7011

Powerful. Digital. Professional.

Professional gluing down to the last detail.
With the GM 7011, all the possibilities of hot bonding are optimally utilised from . A wide variety of materials can be bonded together in continuous daily use.



- Ideal for professional gluing work and the processing of different adhesives for unlimited applications
- Fast heat-up time of 2 min.
- High delivery rate of 35 g/min.
- Interchangeable fine and long nozzle optionally available
- Precise temperature setting with LCD display for even more bonding applications
- Individually adjustable adhesive quantity per stroke
- Suitable for Ø 11 mm glue sticks with different melting temperatures

Universal

Fast

Low Melt

Flex

Acrylate

PUR





Compatible with the professional adhesive system, see p. 96

Order details

GlueMatic 7011 4007841 086947
GlueMatic 7011 case set (incl. 3 glue sticks & 3 mm long nozzle) .. 4007841 086954



incl. long nozzle


 2 min	 35 g/min	 40 - 230 °C	 Details on the web
Quick Start			

Made to last.

The STEINEL adhesive system for professionals.

For everyday use and special requirements - professional users will always find the right adhesivestick for their work and perfect results.

- Fast initial and high final strength
- All STEINEL adhesivesticks are solventfree, non-toxic and do not contain any organic compounds
- No odour or mould formation
- Our glue sticks have a long shelf life



Note: Use a rinsing stick for cleaning after use.

Polyurethane sticks

- Temperature: 130 °C
- Fixed after: max. 25 sec.
- Loadable after: approx. 50 sec.

5 pcs. 130g
4007841 087395

5 pcs. 130g + 2 rinsing sticks
4007841 087388

5 pcs. rinsing sticks 105g
4007841 087401

Low melt sticks

- Temperature: 130 °C
- Fixed after: max. 50 sec.
- Loadable after: approx. 90 sec.

20 pcs. 600g
4007841 052409

Universal sticks

- Temperature: 190 °C
- Fixed after: max. 15 sec.
- Loadable after: approx. 90 sec.

20 pcs. 600g
4007841 050092

Glue guns for the professional gluing system.

The temperature of the glue guns and the melting point of the glue sticks must be matched. These glue guns fulfil the requirements for perfect gluing results with different adhesives.



Note: Only use with the 4.5 mm long nozzle.

Flex sticks

- Temperature: 190 °C
- Fixed after: max. 80 sec.
- Loadable after: approx. 2 min.

20 pcs. 600g
4007841 052423

Fast sticks

- Temperature: 190 °C
- Fixed after: max. 8 sec.
- Loadable after: approx. 30 sec.


20 pcs. 600g
4007841 052430

Acrylate sticks

- Temperature: 200 °C
- Fixed after: max. 15 sec.
- Loadable after: approx. 60 sec.

20 pcs. 600g
4007841 052416

Developed by STEINEL and bonded by professionals.

Material	PUR	Low Melt	Universal	Flex	Fast	Arcylate
Wood						
Paper						
Lacquered paper						
Cardboard / Cardboard boxes						
Rubber						
CR						
Textiles						
Leather						
Glass						
Ceramics						
Metal						
ABS						
Melamine						
PA						
PC						
PE	*					
PET						
Plexiglas®						
PMMA						
POM	*					
PP	*					
PS						
PVC						
Rigid PVC						
PU foam						
Styrofoam						

* These materials can also be bonded to the polyurethane adhesive if pretreated with.

Note: The material type is only an adhesive recommendation, each application must be tested beforehand.

The right sticks for the best gluingresults.

For permanent bonds and creative handicrafts.
The STEINEL glue stick range is solvent-free and always offers the perfect adhesive for carefree crafting fun as well as for special applications.

The practical storage box for the sticks ensures quick removal and safe storage.



Ø 7 mm sticks

for MobileGlue 1007-S, MobileGlue 1007 and GlueMatic 1007

Ultra Power glue sticks

- 16 pcs, 150 mm, 96 g 4007841 006747
- 40 pcs, 150 mm, 240 g 4007841 006730

Cristal glue sticks

- 16 pcs, 150 mm, 96 g 4007841 006624
- 40 pcs, 150 mm, 240 g 4007841 006594

Coloured glue sticks

- 16 pcs, 150 mm, 96 g 4007841 006969

Glitter glue sticks

- 16 pcs, 150 mm, 96 g 4007841 065539

Ø 7 mm Low-Temperature Sticks

for GlueMatic 1007-LT

Low Temp (LT) Cristal glue sticks

- 16 pcs, 150 mm, 96 g 4007841 084622
- 40 pcs, 150 mm, 240 g 4007841 090036

Low Temp (LT) Coloured glue sticks

- 16 pcs, 150 mm, 96 g 4007841 084646

Low Temp (LT) Glitter glue sticks

- 16 pcs, 150 mm, 96 g 4007841 084639



Ø 11 mm sticks

for GlueMatic 1011, 3011, 5011, 7011 and MobileGlue 3011, 5011 CAS/AMP

Ultra Power glue sticks

- 5 pcs, 120 mm, 60 g 4007841 013769
- 10 pcs, 250 mm, 250 g 4007841 006761
- 20 pcs, 250 mm, 500 g 4007841 044930
- 40 pcs, 250 mm, 1000 g 4007841 046910

Cristal glue sticks

- 5 pcs, 120 mm, 60 g 4007841 013776
- 10 pcs, 250 mm, 250 g 4007841 006754
- 20 pcs, 250 mm, 500 g 4007841 048419
- 40 pcs, 250 mm, 1000 g 4007841 006822

Black glue sticks

- 10 pcs, 250 mm, 250 g 4007841 006792

White glue sticks

- 10 pcs, 250 mm, 250 g 4007841 006808

Wood glue sticks

- 10 pcs, 250 mm, 250 g 4007841 006778

Coloured glue sticks

- 10 pcs, 250 mm, 250 g 4007841 006815

Glitter glue sticks

- 10 pcs, 250 mm, 250 g 4007841 064891

Accessories

Perfectly matched to the appliances. Always on the right side with original STEINEL accessories.



Adhesive nozzles for GM/MG 3011/5011

- 4007841 076160 (1.0 mm)
- 4007841 075965 (2.8 mm)



Professional nozzles for GM 7011

- 4007841 052737 (3.0 mm)
- 4007841 052935 (4.5 mm)
- 4007841 052928 (fine)



BOSCH PFA cordless battery
2.5Ah 18V, for MG 3011
4007841 085391



METABO CAS cordless battery
2.0 Ah 18V, for MG 5011 CAS
4007841 085407



BOSCH AMPShare cordless battery
2.0 Ah 18V, for MG 5011 AMP
4007841 093914

Development, production and warranty - everything from one source.

Developed in Germany and produced in our own European factories, we are convinced of the quality of our products. For this reason, we grant a 3-year manufacturer's warranty on our DIY tools up to and also have our own repair service.



Telephone customer service easily accessible.

We value our proximity to the world's heat workers. If you have any questions about products or applications, please contact STEINEL Customer Service at

Mon - Fri 08:00-20:00, Sat 09:30-16:00
by **phone +49 (0) 5245 / 448-188**
by **WhatsApp +49 (0) 160 939 576 71**
or **e-mail: service@steinel.de**



STEINEL GmbH
Dieselstraße 80 - 84
33442 Herzebrock - Clarholz
Germany

Phone + 49 (0) 5245-448-0
Fax + 49 (0) 5245-448-197
Service telephone + 49 (0) 5245-448-188
Mail service@steinel.de
www.steinel-tools.de
www.instagram.com/steinel_tools



110108384 01 / 2025 14925 Subject to technical changes




STEINEL GmbH
Dieselstraße 80-84
33442 Herzebrock-Clarholz
Germany

Phone + 49 (0) 5245-448-0
Fax + 49 (0) 5245-448-197
Service telephone + 49 (0) 5245-448-188
Mail service@steinel.de
www.steinel-tools.de
www.instagram.com/steinel_tools



110108384 01 / 2025 14925 Subject to technical changes



Heat at Work. Hot air & hot gluing

Heat at Work.

Hot air & Hot gluing



Made for doers.

Appreciated for their long service life, ease of use and excellent performance and built for daily use - these are tools from STEINEL. They inspire professional craftsmen, DIY enthusiasts and anyone who wants to work at the "next level" all over the world.

4 series - Which one suits you?

1

Proven technology
for DIY enthusiasts
and do-it-yourselfers.

3

The right choice for the
ambitious DIY enthusiast.

5

For professional
tradespeople who work
quickly and flexibly.

7

In continuous daily
use by heavy users.

